

THE SILENT CRY

Page 1

Case Authors:

Celeste R. Wilson, MD

John R. Knight, MD

Case Advisors:

Hoover Adger, MD

Jennifer Smrstik, LICSW

Richard Bourne, JD, PhD

Acknowledgement: David Petrarca, DDS assisted with oral health issues.

Child Neglect

TUTOR GUIDE

Case Materials:

Tutor's Guide

Case

Handout #1a and #1b: Michaela's Growth Chart and Head Circumference Chart

Handout #2: Classification of Child Neglect

Handout #3: Brief Alcoholism Screening Tests

Handout #4: Denver II

Handout #5: Principles of Effective Interventions with Parents

Slide Set

References

Evaluation Tools

Tutor's evaluation/prior to presentation

Tutor's evaluation/post presentation

Student evaluations

Objectives:

By the end of this session, clinicians will be able to:

1. List signs and symptoms of child neglect.
2. Discuss how to communicate concerns to parents who are abusing alcohol (or drugs).
3. Describe a management plan for situations where child neglect is suspected.
4. List appropriate multidisciplinary services for families affected by substance abuse.

Overview of CHILD NEGLECT: Every child deserves to be raised in a nurturing environment. Such an environment provides the emotional, physical, educational, medical, and safety requirements that a child needs to thrive. Child neglect occurs when a parent is unable to adequately provide for any or all of these needs. Substance abuse is one factor that may seriously impair a parent's ability to properly care for a child. Primary care clinicians are in a special position to intervene and offer assistance when neglect or parental substance abuse is suspected. This case presents the story of a 2-year-old girl who shows signs of being neglected and whose mother appears to have an alcohol problem. Clinicians will discuss ways to protect the child and assist her mother in finding appropriate assessment and treatment.

Supported by a grant from *The Maternal and Child Health Bureau*. These materials may be freely reproduced and used, but may not be modified without written consent of the authors.



Introduction

Child neglect and parental substance abuse are major national health problems. Both have a direct impact on a child's health, well being, and safety. In 1996, child protective service agencies investigated more than 2 million reports alleging abuse or neglect and more than 1 million of these were substantiated.² The reporting rate for children in the US is 44 per 1,000. Cases of child neglect account for about two-thirds of this total.² Neglect is a prominent feature in maltreatment cases in which a parent abuses substances.³ About 28.6 million Americans are children of alcoholics.⁴ Current estimates are that 11 million children and adolescents in the United States have an alcoholic parent, or one out of every eight children.⁵ Few of these children come in contact with the child protection system. Substance abusing parents are demographically similar to the general population. However, mothers with drug or alcohol problems are more likely than fathers to be reported to child protective services, and African American women with substance abuse problems are more likely to be involved with child welfare agencies than women of other ethnic or racial groups.³ Many substance abusing parents, especially mothers, enter treatment because they are concerned that their substance abuse is negatively impacting their children. Early recognition of this problem by a primary care provider may present a "golden opportunity" for directing substance-abusing parents into treatment programs and optimizing chances for keeping the family intact.

Both parental use of alcohol and child neglect may be "silent" problems. For example, few clinicians routinely screen parents for alcohol abuse and problems may, therefore, go undetected. In a similar fashion, child neglect may be easily overlooked, partly because of the complexity of its definition. Whereas child abuse is readily detected from the presence of physical evidence, the identification of child neglect depends on the recognition of relatively more subtle signs. It is this omission of necessary provisions to support a child's growth and development that constitutes child neglect. Thus, in identifying child neglect, the astute pediatrician must hear the child's "silent cry" as well as the audible one.

Facilitators should thoroughly review this guide and the other materials provided. They should also review their own state's law regarding mandated reports for suspected child abuse or neglect. It may be helpful to have copies of state regulations and/or mandated report forms available to learners as handouts.

THE SILENT CRY

Page 3

GUIDING QUESTIONS FOR DISCUSSION

1. What is your initial impression of Michaela and her mother?
2. What is your preliminary problem list?
3. Is Michaela's presentation consistent with child neglect?
4. Are there other questions you would like to ask?
5. What would you do next?
6. What are your next steps given the nurse's report?
7. What will your role be in Michaela's ongoing care?

The Silent Cry

1. What is your initial impression of Michaela and her mother?

Both Michaela and her mother exhibit some of the common risk factors and findings seen in child neglect cases. Michaela's unkempt appearance, flat affect, and disinterest in play are concerning. While 2-year-olds who are sick may not exhibit usual playful behavior, Michaela's poor hygiene suggests that this may not just be reactive to a concurrent illness. She also has a number of physical findings that support this concern. Her pattern of dental decay is consistent with nursing bottle syndrome often seen in children who are put to bed with a bottle of milk, fruit juice, or any other carbohydrate-rich liquid. In addition, Michaela has an acute infection (cellulitis) on her left lower leg that needs medical attention.

Ms. Nickerson's statement about how distressed she is by Michaela's crying and "*Thank God she's my only one*" are indicative of frustration and very concerning. She seems to be overwhelmed and alone. There are multiple psychosocial stressors that could impact her ability to adequately care for Michaela and should raise concern about the possibility of neglect. Such stressors include irritable child, separation from her significant other, lack of family support, and an unstable employment and financial status.


2. What is your preliminary problem list?

Michaela has certain obvious problems. She appears to have a cellulitis of the left leg, which may be causing her low-grade fever and contributing to her reported crankiness. She has obvious dental caries. There are other aspects of her presentation, however, that are also concerning.

Child health is a product of the interaction between multiple factors. Clinicians should consider problems inherent in the child, in the parent, and in the environment that may contribute to child neglect.⁶

Child:

- Prematurity
- Developmental disability
- Difficult temperament (e.g., crying, fussiness)



Parent(s):

- Substance abuse
- Depression, other mental disorders
- Domestic violence
- Unrealistic expectations of the child
- Lack of social support system
- **History of abuse or neglect as a child**

Environmental:

- Family stressors (e.g., unemployment, illness, death, inadequate finances, divorce)
- Lack of community resources

Michaela is reported to cry a lot and appears somewhat disinterested at the present visit. These could be signs of a difficult temperament or developmental delay. Michaela's mother could be experiencing any number of conditions including posttraumatic stress disorder, domestic violence, maternal depression, or substance abuse. She does not have a strong social support network at the present time, and nothing of her own history as a child is known. She has no regular employment.

3. Is Michaela's presentation consistent with child neglect?

The definition of child neglect varies with professional discipline. However, child neglect should always be considered when there is inadequate nutrition, clothing, shelter, emotional support, education, safety, medical, or dental care. Child neglect may be divided into several categories depending on the specific area of omission in the child's care. Michaela's presentation is concerning for exhibiting some of the forms of child neglect. In general, these categories are listed in Handout #2.

A parent's reason to neglect a child may be varied and can range from lack of financial and supportive resources to failure to appreciate the importance of basic provisions for the child. Clearly, the parents' psychological and emotional profile impacts upon their ability to proficiently recognize and supply their child's needs. Thus, it is no surprise that risk factors for child neglect include parental substance abuse and other psychopathology.⁶

4. Are there other questions you would like to ask?

Review of the medical record has already provided important information regarding Michaela's birth and medical history. Clinicians should elicit further information about her developmental milestones and family and social history. Parents should be specifically asked about their own risk factors. Parents may be more comfortable discussing their stressors with a medical care provider (whom they know) than with a social worker.

You may wish to distribute copies of the paper by Kahn and colleagues¹ and give participants a few minutes to review the abstract.

Key Teaching Point: A recent study indicated that two-thirds of mothers bringing their children for pediatric care had significant health problems of their own.¹ More than 17 percent in fact screened positive for alcohol problems and most of these women reported acceptance of the pediatrician's role in asking them about their problems.

The Silent Cry

Page 6

The parental response to the “trigger questions” that are suggested in the Bright Future Guidelines for the 2-year visit may provide additional insight into the parent-child relationship:

How are you?

How are things going in your family?

Do you have any questions or concerns about Michaela?

What do you and your partner enjoy most about Michaela? What seems to be most difficult?

Have there been any major changes or stresses in your family since your last visit?

How is child-care going?

How are you dealing with setting limits for Michaela and disciplining her?

Do you ever get so angry with Michaela that you are worried about what you might do next?

Have you ever been in a relationship where you have been hurt, threatened, or treated badly?

Does anyone in the home have a gun? If so, is the gun locked up?

Also, the clinician should explore the maternal and family history—

Do you have any medical problems?

Are there any mental health problems (e.g., depression, anxiety disorders) in the family?

Do you or anyone else in the home smoke, drink alcohol, or use drugs?

When a yes answer is given to this last question, clinicians should follow up with a brief screening test for substance abuse.

The CAGE questions⁷ are one of several brief-screening tests for alcohol disorders (see Handout #3). A “yes” answer to two or more CAGE questions is suggestive of a diagnosis of alcohol abuse or dependency.⁸ When a parent has a positive CAGE, the pediatric clinician should explain the result, share his/her concern, and suggest the parent go for a formal substance abuse evaluation. While the CAGE questions are most well-known, the T-ACE may be a better test for detecting problem drinking in women.

5. What would you do next?

Michaela’s cellulitis would likely respond to outpatient treatment with antibiotics.

However, her presentation should raise serious concerns about child neglect.

Signs and symptoms of child neglect include:

- Missed medical appointments
- Failure or delay in seeking medical care for illness
- Failure or delay in seeking dental care
- Poor growth
- Poor hygiene
- Developmental delay
- Multiple dental caries
- Untreated medical conditions
- Nonspecific behavior patterns (e.g., enuresis, irregular sleep patterns, impaired interpersonal relations, psychopathology, excessive masturbation, academic difficulties, discipline difficulties, role reversal)

The Silent Cry

Page 7

One of the most critical decisions in managing situations where child neglect is suspected is to determine whether or not to admit the child to the hospital. This decision rests on whether there are any immediate threats to the child's safety or medical well-being. If so, it is a medical necessity that the child be hospitalized.⁹

No immediate threat to Michaela's safety has been identified, but the clinician should be concerned about her medical well being given the prior history of non-compliance with medical care and her overall appearance. Therefore serious consideration should be given to admitting Michaela to the hospital. There, she could receive antibiotics, social work consult, nutrition consult, and Denver Developmental Screening. A dental referral would also be needed.

Hospitalization for "psychosocial" reasons may be difficult in this era of managed care. However, clinicians must always put the welfare of the child first. In support of this view, the American Academy of Pediatrics issued a policy statement on the Medical Necessity for the Hospitalization of the Abused and Neglected Child that recommends:

1. In communities with no specialized child protection centers, children requiring evaluation and treatment for suspected abuse or neglect should be hospitalized for their initial management until they are determined to be medically stable and safe alternative facilities for their placement are available pending completion of their assessment.
2. Hospitalization of children requiring evaluation and treatment for abuse or neglect should be viewed by third-party payors as medically necessary.⁹

As another option, some clinicians may opt to address Michaela's medical issues by mobilizing outpatient services including social work and a visiting nurse. Close follow-up would be needed to assess the developmental aspects of her profile. A dental appointment should be arranged.

Part II

6. What are your next steps given the nurse's report?

While there could be other explanations, Ms. Nickerson's behavior (e.g., early departure and late return to the hospital, smell of alcohol on her breath, unsteady gait, possible hang-over) is concerning for alcohol abuse. Exploration of this concern should be conducted in a sensitive and non-accusatory fashion. The FRAMER mnemonic summarizes important principles of this type of intervention (for similar version, see The Father's Handprint teaching case):

Begin by listing the facts that have made you concerned. Clinicians should refrain from drawing any premature conclusions or making a "diagnosis" of alcohol abuse or alcoholism. An example of how one might open the conversation is as follows:

"How are you feeling today?" *you might begin.*

The Silent Cry

Page 8

"Oh, I'm just fine. Thanks," *Ms. Nickerson responds.*

"Well, Michaela seems to be responding well to her medicine. But I wanted to talk to you today because we are a little worried about you. On the day that Michaela was admitted, the nurse noticed that you had to leave right away and then returned at 5 AM. When you returned, she noted that you were walking unsteadily and that you tripped over a chair when you went in the room. The nurse thought that she could smell alcohol on your breath. So I'd like to ask you a few questions about your drinking."

A thorough evaluation of the family's social situation is needed for appropriate management. A child protection specialist/social worker should perform a family assessment whenever possible. The information they collect from speaking with the parents will help determine the safety of the child's environment and the need for additional services. Even if there were no concerns about parental alcohol abuse, Michaela's profile is suspicious for child neglect and warrants a more thorough assessment.

A mandated report filed on behalf of the child is a more formal means of protecting the child's right and securing his/her safety. Once filed, the designated state agency is responsible for conducting a thorough evaluation to determine whether or not the child is safe in his/her current situation and if foster care placement is necessary. The emphasis is on keeping the child safe, which can hopefully be done while keeping the family intact. A family service plan is designed with this goal in mind. Once the plan has been formulated, an assigned family worker closely monitors the family to ensure that recommendations are being followed. The plan may include parenting classes, daycare services, parent aide, counseling, psychotherapy, and/or substance abuse treatment. Intensive plans also include family-based and individual treatment at the home, often more than once per week. If the parents repeatedly fail to abide by the terms of the service plan, the child may then be placed in foster care and the service plan will be extended. Service plans tend to be about six months in length. If the family is doing well during that time, the state agency often decreases their involvement and monitoring.

Clinicians must resist the temptation to avoid future contact with the parent. Remember that parents with alcohol disorders are sick people, not bad people, and their health can improve dramatically with treatment. When at all possible, this view should be communicated to the child. They should also be told that their parent's disease is not their fault, and its "cure" is not their responsibility. Individual and family counseling is needed, and a referral to child-centered support groups (i.e., Alateen, Alatot) may be helpful.

7. What will your role be in Michaela's ongoing care?

Working closely with the state agency and caseworker, the physician is an integral part of the team helping to secure the child's well being. In addition, close medical follow up will be needed. As the primary care provider, your primary role is to ensure that

The Silent Cry

Page 9

Michaela receives adequate medical care. You should monitor development and emotional health.

Primary care providers can also offer support and encouragement to parents, inquire about progress of their own treatment, and stay in touch with treatment providers as appropriate. Clinicians should know that alcoholic and addicted parents love their children very much and really want to be good parents. However, their addiction interferes with their ability to follow through. These parents are often highly motivated to enter treatment programs and, with proper encouragement and support, can be successful.

Independent Learning/Prevention Exercises: Facilitators may wish to assign “Independent Learning/Prevention Exercises” to the group, particularly if time constraints hinder the completion of the case. The following list includes suggestions to explore the available community resources that focus on Neglect and Parental Alcoholism, as well as other avenues of pertinent interest that can be integrated during or after the session. If the exercise is done in the absence of the facilitator, learners should take notes on their experience, then discuss with a faculty member for feedback.

1. Invite a state child protective services worker to speak to the group, discussing issues regarding the role of a primary care provider, how to go about filing an official report when neglect/abuse is suspected (e.g., “51-A” in Massachusetts).
2. Go to an open AA (Alcoholics Anonymous) or ACOA (Adult Children of Alcoholics) meeting. These can be located by calling the central service offices, listed in the telephone directory.

The Silent Cry

Page 10

Case Authors:

Celeste R. Wilson, MD

John R. Knight, MD

Case Advisors:

Hoover Adger, MD

Jennifer Smrstik, LICSW

Richard Bourne, JD, PhD

Acknowledgement: *David Petrarca, DDS assisted with oral health issues.*

Part 1

Michaela is a 25-month old girl brought to your office for an urgent care visit. Her mother, Ms. Nickerson, reports that her daughter has been cranky for the past few days.

“*Has she had a fever?*” you ask.

“Fever? No, I don't think so. She hasn't felt warm.”

“*Has she told you that anything hurts?*” you continue.

“No. She doesn't talk very much. She's only two. But something must be hurting her, because she's crying all the time. I just can't listen to it anymore. Thank God she's my only one.”

Ms. Nickerson denies any other pertinent symptoms including vomiting, diarrhea, cough, rhinorrhea, and poor oral intake. You proceed with the physical examination. Michaela has an axillary temperature of 100.4° F. Her other vital signs are normal. She is a somewhat thin-appearing toddler. (see Handout #1) Her face is expressionless and does not appear to have been washed recently. She has been sitting quietly in her mother's lap while the two of you have been talking. You show her a wind-up toy but she doesn't reach for it or say anything.

Michaela has no dysmorphic features. Her pupils are equal and reactive to light, and visual tracking of your penlight seems normal. The tympanic membranes are normal in appearance and move well on pneumo-otoscopy. Oral examination is notable for several upper incisors with brown areas of decay. Skin examination reveals a 2 cm. superficial cut with circumferential swelling, induration, and tenderness on her left lower leg.

Following your physical examination, you ask Ms. Nickerson some additional questions (adapted from *The Bright Futures Guidelines*):

“*How are other things going in your family?*” you ask.

“We've been better. Michaela's father moved out three weeks ago.”

“*Do you have anyone else to help take care of her?*” you ask.

“No. Her grandparents live on the other side of town, but I don't have a car and haven't seen them in months. It's just the two of us. Right, Sweetie?”

“*Are you working outside the home?*” you ask.

“I work once in a while as a waitress or cashier, here and there.”

“*Who takes care of Michaela when you're working?*” you ask.

“Umm, . . . there's a lady across the hall from us. She helps sometimes.”

On further review of the medical chart, you find that Michaela is a former 32-week infant born to a 20-year-old mother. She has had no hospitalizations or surgeries. You notice that Michaela has missed several well child visits and has not received her 12-15 month immunizations.

Supported by a grant from *The Maternal and Child Health Bureau*. These materials may be freely reproduced and used, but may not be modified without written consent of the authors.



The Silent Cry

Page 11

Part 2

You decide to admit Michaela to the hospital. She receives IV antibiotics and local wound care. Social work and nutrition consults are obtained. As part of the work-up, the Denver II Developmental Screening Test was performed (see Handout #4).

On your hospital rounds the next day, you are told that Ms. Nickerson left the floor soon after Michaela was admitted. She returned at 5 AM and was observed to have a somewhat unsteady gait. Shortly after going into Michaela's room, the nurse on duty heard a "crash." When she went to check, she found that Ms. Nickerson had tripped over a chair. The nurse reported that she thought she smelled alcohol on Ms. Nickerson's breath.

You go in to see Michaela and her mother is there. When you ask her how she is, she replies, *"I'm OK; I just have this really bad headache."* She appears very fatigued and her conjunctivae are injected. You decide that it would be best to wait until later in the day to talk with her further. You arrange to have a social worker available for this meeting.

The Silent Cry

Page 12

Epilogue

In your meeting with her, Ms. Nickerson admits that things have been difficult. She has tried to quit drinking on her own but could never seem to stop for long periods of time. She is open to your suggestion about entering a treatment program and receiving counseling. She keeps the same day appointment that is scheduled for her at a local program.

A mandated report is filed on behalf of Michaela with the state Department of Social Services. The assigned family worker formulates an intensive service plan that includes counseling and monitoring for Ms. Nickerson. Early Intervention and daycare services are arranged for Michaela. The Visiting Nurse Services will go to the home daily once Michaela is discharged. The delivery of nutritional supplementation (recommended by the nutritionist) is facilitated by the social worker. A parent aide is assigned to Ms. Nickerson to assist with the routine stressors of daily living.

Michaela remained in the hospital for 3 days. Her immunizations were updated. A routine hematocrit and lead level were normal. PPD screening was negative. Given the intensive service plan, Michaela is discharged into the care of her mother with a follow-up appointment with you in one week.

At the follow-up appointment, a referral to a pediatric dentist is arranged. Ms. Nickerson says that not drinking is tough but she's determined this time. One year later, she has found a new job and reestablished contact with her parents. Michaela has gained weight and seems to enjoy the other children at her language-based preschool.

REFERENCES

1. Kahn R, Wise P, Finkelstein J, Bernstein H, Lowe J, Homer C. *The scope of unmet maternal health needs in pediatric settings*. *Pediatrics* 1999;103:576-581.
2. US Dept. of Health and Human Services. *Child Maltreatment 1996: Reports from the States to the National Child Abuse and Neglect Data System*. Washington DC: US Government Printing Office; 1998.
3. US Dept. of Health and Human Services. *Blending perspectives and building common ground: A report to Congress on substance abuse and child protection*. Washington DC: US Government Printing Office; 1999.
4. Anonymous. *Children of Alcoholics: Important Facts*. National Association for Children of Alcoholics [www.health.org/nacoa/], last accessed March 3, 2001.
5. MacDonald D, Blume S. *Children of alcoholics*. *American Journal of Diseases of Children* 1986; 140:750-754.
6. Weinstein N, Bobe C, Mandell D. *Opening and closing Pandora's box*. New York, NY: Children of Alcoholics Foundation; 1998.
7. Ewing J. *Detecting alcoholism: The CAGE questionnaire*. *Journal of the American Medical Association* 1984;252:1906-1907.
8. Bush B, Shaw S, Cleary P, DelBlanco TI, Aronson, MD. *Screening for alcohol abuse using the CAGE questionnaire*. *American Journal of Medicine* 1987;82:231-5.
9. American Academy of Pediatrics, Committees on Hospital Care and Child Abuse and Neglect. *Medical necessity for the hospitalization of the abused and neglected child*. *Pediatrics* 1998;101:715-716.
10. Dubowitz H, Black, M. *Child neglect*. In: Reece R, editor. *Child abuse: Medical diagnosis and management*. Philadelphia: Lea & Febiger; 1994. p. 279-297.

Annotated Readings:

Dubowitz H, Black, M. Child neglect. In: Reece R, ed. Child abuse: Medical diagnosis and management. Philadelphia: Lea & Febiger; 1994. p. 279-297. *This chapter highlights the various definitions of child neglect and discusses the epidemiology of the problem. Parent and child characteristics that can contribute to child neglect are listed. Treatment and management options are presented.*

Weinstein N, Bobe C, Mandell D. Opening and closing Pandora's box. New York, NY: Children of Alcoholics Foundation; 1998. *This soft cover manual was written as a guide to child and adolescent health care providers. It includes chapters on family systems theory, interviewing techniques, parental substance abuse and child abuse and neglect.*

US Department of Health and Human Services. Blending perspectives and building common ground: A report to Congress on substance abuse and child protection. Washington DC: US Government Printing Office; 1999. *This is a comprehensive report to the U.S. Congress on substance abuse and child protection. It contains an up-to-date review of pertinent literature and many informative tables and figures that depict the scope of the problem.*

The Silent Cry

Page 14

Educational Resources on the World Wide Web:

Alcoholics Anonymous

<http://www.aa.org>

Telephone: 212-870-3400 (or check your local directory)

Massachusetts Department of Social Services

<http://www.state.ma.us/dss/>

National Association for Children of Alcoholics (NACoA)

<http://www.health.org/nacoa>

Telephone: 1-888-55-4COAS

National Clearinghouse on Child Abuse and Neglect

<http://www.calib.com/nccanch/>

Prevent Child Abuse (PCAA)

<http://www.childabuse.org>

American Academy of Child and Adolescent Psychiatry—Facts for Families. This site provides access to the AACAP's award winning "Facts for Families" pamphlet series on various developmental topics. The information sheet entitled, "Children of Alcoholics" is #17.

<http://www.aacap.org/publications/pubcat/facts.htm>

Module Evaluation

For presenters to fill out before the teaching session

A. I consider myself

- | | | | | |
|--|---|-------------------------------------|---|-------------|
| 1. A nationally known expert on this topic | 2. A locally known expert on this topic | 3. Very knowledgeable on this topic | 4. to have learned about this topic to teach it | 5. Not sure |
|--|---|-------------------------------------|---|-------------|

B. I spent approximately _____ minutes preparing for teaching this topic.

C. Of the time I spent preparing to teach this topic, I used material provided to me as part of the Serving the Underserved Curriculum

1. 100% of the time
2. 75-99% of the time
3. 50-74% of the time
4. 25-49% of the time
5. <25% of the time

D. How appropriate were the educational objectives?

- | | | | | |
|--------------|---------|------------|---------|-------------|
| 1. Excellent | 2. Good | 3. Average | 4. Poor | 5. Not sure |
|--------------|---------|------------|---------|-------------|

E. How appropriate were the tutor notes?

- | | | | | |
|--------------|---------|------------|---------|-------------|
| 1. Excellent | 2. Good | 3. Average | 4. Poor | 5. Not sure |
|--------------|---------|------------|---------|-------------|

F. How appropriate were the references?

- | | | | | |
|--------------|---------|------------|---------|-------------|
| 1. Excellent | 2. Good | 3. Average | 4. Poor | 5. Not sure |
|--------------|---------|------------|---------|-------------|

G. If your answer to any of the above questions (except A) was 3, 4 or 5, please comment.

Please feel free to write further comments on the back of this sheet.

Thank you for taking the time to fill out this evaluation.

*This material was adapted from that created by Janet Hafler, Ed.D.

Module Evaluation

(For Presenters to use after the teaching session)

Presenter: _____

Your responses will help us refine and develop this case.

A. Please rate the overall quality of this material as a stimulus for learning.

1. **Excellent** 2. **Good** 3. **Average** 4. **Poor** 5. **Not sure**

B. Please rate the classes participation in the learning

1. **Excellent** 2. **Good** 3. **Average** 4. **Poor** 5. **Not sure**

C. How comfortable were you with case based teaching

		Not at All			Very Much	
1.	Prior to this teaching session	1	2	3	4	5
2.	During the teaching session	1	2	3	4	5
3.	After the teaching session	1	2	3	4	5

D. Please list how long you spent on this topic, and how the time was divided

Total Time _____ **minutes**

Time spent on case discussion _____ **minutes**

Please describe how you spent the rest of the time

E. Please Rate each of the following

		Poor			Excellent	
1.	The Educational Objectives	1	2	3	4	5
2.	The Case Vignette	1	2	3	4	5
3.	The Tutor Guide, including guiding questions	1	2	3	4	5
4.	Reference List	1	2	3	4	5
5.	Handouts	1	2	3	4	5
6.	Audiovisual Materials	1	2	3	4	5

If you answered 1-3 on any of the above, please comment further

F What were the cases strengths

- 1.
- 2.
- 3.

G What were the cases weaknesses

- 1.
- 2.
- 3.

The Silent Cry

Page 17

H What is the single most important thing that you learned from the case discussion?

I Case Evaluations

1. Do you think facts or data should be added? **1. Yes** **2. No**
If **yes**, what should be added?

2 Do you think facts or data should be deleted? **1. Yes** **2. No**
If **yes**, what should be deleted?

J. Tutor notes evaluation

1. Did you use the **tutor notes**? **1. Yes** **2. No**
If **no**, why not?

2. What were the **tutor notes** strengths? 1.
2.

3. What were the **tutor notes** weaknesses? 1.
2.
3.

4. How would you suggest improving the **tutor notes**?

5. Do you think facts or data should be added to the **tutor notes**? **1. Yes** **2. No**
If **yes**, what should be added?

6. Do you think facts or data should be deleted from the **tutor notes**? **1. Yes** **2. No**
If **yes**, what should be deleted?

The Silent Cry

Page 18

K Slide Evaluation

- | | | |
|---|--------|-------|
| 1. Did you use any of the slides ?
If yes, which ones | 1. Yes | 2. No |
| 2. How would you suggest improving the slides ? | | |
| 3. Do you think more slides would be useful?
If yes , what should be added? | 1. Yes | 2. No |
| 4. Do you think there are slides that will never be
useful?
If yes , what should be deleted? | 1. Yes | 2. No |

- | | | |
|--|--------|-------|
| L Did you use any other materials
If yes , what other materials? | 1. Yes | 2. No |
|--|--------|-------|

If supplied by the Serving the Underserved
Project, how would you improve the material

M. What did you as a teacher learn about this topic?

- #1
- #2
- #3

Please feel free to write any further comments on the back of this form

Thank you for taking the time to fill out this evaluation.

*This material was adapted from that created by Janet Hafler, Ed.D.

The Silent Cry

Module Evaluation

Presenter: _____

Your responses will help us refine and develop this educational material. The person completing this form is:

PGY1 PGY2 PGY3 Fellow Faculty Other _____

A. What is the single most important thing you learned from the case discussion today.

B. Please rate the overall quality of this case as a stimulus for learning.

1. **Excellent** 2. **Good** 3. **Average** 4. **Fair** 5. **Poor**

C. The facilitator

		Not at All			Very Much	
1.	Encourages student direction of teaching	1	2	3	4	5
2.	Stimulated interest in the subject matter	1	2	3	4	5
3.	Encouraged Group Participation	1	2	3	4	5

D. I consider the facilitator

1. A nationally known expert on this topic 2. A locally known expert on this topic 3. Very knowledgeable on this topic 4. a teacher who learned about this topic to teach it 5. **Not sure**

E. Please rate each of the following components of the teaching session (N/A for not applicable)

		Poor		Good		Excellent	
1.	Case Vignette	1	2	3	4	5	N/A
2.	Case Based/Learner Centered Format	1	2	3	4	5	N/A
3.	Handouts/Supplemental Materials	1	2	3	4	5	N/A
4.	Teacher/Facilitator	1	2	3	4	5	N/A

F. Do you think information should be added? 1. **Yes** 2. **No** 3. **Not Sure**
If **yes**, what should be added?

G. Do you think information should be deleted? 1. **Yes** 2. **No** 3. **Not Sure**
If **yes**, what should be deleted?

H. Comments

Please feel free to write any comments on the back of this sheet.

Thank you for taking the time to fill out this evaluation.

*This material was adapted from that created by Janet Hafler, Ed.D.